Altro Tegulis™

Specification guide




01462 707604 enquiries@altro.com


Altro Tegulis

Tile designs


Altro Tegulis Essence range




Herringbone tile
62mm x 197mm




Stacked Metro tile
76mm x 292mm




Stacked Metro tile
222mm x 389mm




Stacked Metro tile
292mm x 592mm



Metro tile
76mm x 146mm



Metro tile
76mm x 292mm




Metro tile
102mm x 233mm


Altro Tegulis

Tile designs


Altro Tegulis Deluxe range




Square tile
106mm x 106mm




Mosaic tile
35mm x 35mm




Mosaic tile
53mm x 53mm



Hexagon tile
112mm x 130mm



KitKat
22mm x 147mm



Chevron tile
141mm x 408mm

Altro Tegulis

Colours

 White | 01 LRV 89	White Woodgrain 9915 | LRV 79	 Soft Woodgrain 9901 | LRV 52	Winter Weave 9909 | LRV 58	 Autumn Weave 9910 | LRV 43	 Soft Elegance 9918 | LRV 54	 Warm Elegance 9917 | LRV 61	 Cool Woodgrain 9914 | LRV 31	 Warm Woodgrain 9904 | LRV 38	 Rich Woodgrain 9902 | LRV 14	 Warm Concrete 9916 | LRV 24
Hessian | 233 LRV 68	Silk | 229 LRV 68	 Fawn | 206 LRV 41	 White Elegance 9919 | LRV 80	White Mineral 9905 | LRV 61	 Cool Mineral 9906 | LRV 48	 Urban Mineral 9907 | LRV 28	Cesco | 53 LRV 72	 Echo | 208 LRV 36	 Urban | 210 LRV 28	 Dakota | 209 LRV 6
Linen | 41 LRV 83	Oyster | 32 LRV 73	Blossom | 230 LRV 77	 Blush | 231 LRV 29	 Clay | 224 LRV 29	 Bergamot | 220 LRV 26	 Honeydew | 225 LRV 60	Ice | 44 LRV 80	Clarity | 207 LRV 64	 Ozone | 211 LRV 10	 Twilight | 226 LRV 12
Spa | 232 LRV 81	Seafoam | 43 LRV 81	 Serenity | 227 LRV 56	 Promenade | 212 LRV 32	 Orchard | 223 LRV 50	 Mint | 203 LRV 59	Breeze | 228 LRV 64	Flint | 201 LRV 32	Vibrance | 213 LRV 22		

Altro Tegulis Essence range

Specification details

Tile design			Stacked Metro 1	Stacked Metro 2	Stacked Metro 3	Herringbone	Metro 1	Metro 2	Metro 3
Tile size			76mm x 292mm	222mm x 389mm	292mm x 592mm	62mm x 197mm	102mm x 233mm	76mm x 292mm	76mm x 146mm
Jointing methods - half-lap			✔	✔	✔	✔	✔	✔	✔
Jointing methods - interlock						✔	✔	✔	✔
Vertical			✔	✔	✔	✔	✔	✔	✔
Horizontal			✔	✔	✔	✔	✔	✔	✔
Range	**Colour name**	**Code**							
Altro Whiterock	White	1	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock Satins	Bergamot	220	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock Satins	Blossom	230	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock Satins	Blush	231	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock Satins	Breeze	228	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock Satins	Cesco	53	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock Satins	Clarity	207	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock Satins	Clay	224	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock Satins	Dakota	209	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock Satins	Echo	208	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock Satins	Fawn	206	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock Satins	Flint	201	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock Satins	Hessian	233	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock Satins	Honeydew	225	Essence	Essence	Essence	Essence	Essence	Essence	Essence

Altro Tegulis Essence range

Specification details

Tile design			Stacked Metro 1	Stacked Metro 2	Stacked Metro 3	Herringbone	Metro 1	Metro 2	Metro 3
Tile size			76mm x 292mm	222mm x 389mm	292mm x 592mm	62mm x 197mm	102mm x 233mm	76mm x 292mm	76mm x 146mm
Jointing methods - half-lap			✔	✔	✔	✔	✔	✔	✔
Jointing methods - Interlock						✔	✔	✔	✔
Vertical			✔	✔	✔	✔	✔	✔	✔
Horizontal			✔	✔	✔	✔	✔	✔	✔
Range	**Colour name**	**Code**							
Altro Whiterock Satins	Ice	44	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock Satins	Linen	41	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock Satins	Mint	203	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock Satins	Orchard	223	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock Satins	Oyster	32	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock Satins	Ozone	211	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock Satins	Promenade	212	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock Satins	Seafoam	43	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock Satins	Serenity	227	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock Satins	Silk	229	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock Satins	Spa	232	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock Satins	Twilight	226	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock Satins	Urban	210	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock Satins	Vibrance	213	Essence	Essence	Essence	Essence	Essence	Essence	Essence

Altro Tegulis Essence range

Specification details

Tile design			Stacked Metro 1	Stacked Metro 2	Stacked Metro 3	Herringbone	Metro 1	Metro 2	Metro 3
Tile size			76mm x 292mm	222mm x 389mm	292mm x 592mm	62mm x 197mm	102mm x 233mm	76mm x 292mm	76mm x 146mm
Jointing methods - half-lap			✔	✔	✔	✔	✔	✔	✔
Jointing methods - Interlock						✔	✔	✔	✔
Vertical			✔	✔	✔	✔	✔	✔	✔
Horizontal			✔	✔	✔	✔	✔	✔	✔
Range	**Colour name**	**Code**							
Altro Whiterock wall designs	Autumn Weave	9910	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock wall designs	Cool Mineral	9906	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock wall designs	Cool Woodgrain	9914	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock wall designs	Rich Woodgrain	9902	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock wall designs	Soft Elegance	9918	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock wall designs	Soft Woodgrain	9901	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock wall designs	Urban Mineral	9907	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock wall designs	Warm Concrete	9916	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock wall designs	Warm Elegance	9917	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock wall designs	Warm Woodgrain	9904	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock wall designs	White Elegance	9919	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock wall designs	White Mineral	9905	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock wall designs	White Woodgrain	9915	Essence	Essence	Essence	Essence	Essence	Essence	Essence
Altro Whiterock wall designs	Winter Weave	9909	Essence	Essence	Essence	Essence	Essence	Essence	Essence

Altro Tegulis Deluxe and Custom range

Specification details

Tile design			Chevron	Hexagon	Square	Mosaic 1	Mosaic 2	KitKat	Custom
Tile size			141mm x 408mm	112mm x 130mm	106mm x 106mm	35mm x 35mm	53mm x 53mm	22mm x 147mm	Custom
Jointing methods - half-lap			✔	✔	✔	✔	✔	✔	✔
Jointing methods - Interlock				✔					✔
Vertical			✔	✔	✔	✔	✔	✔	✔
Horizontal			✔	✔				✔	✔
Range	**Colour name**	**Code**							
Altro Whiterock	White	1	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock Satins	Bergamot	220	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock Satins	Blossom	230	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock Satins	Blush	231	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock Satins	Breeze	228	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock Satins	Cesco	53	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock Satins	Clarity	207	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock Satins	Clay	224	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock Satins	Dakota	209	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock Satins	Echo	208	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock Satins	Fawn	206	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock Satins	Flint	201	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock Satins	Hessian	233	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock Satins	Honeydew	225	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom

Altro Tegulis Deluxe and Custom range

Specification details

Tile design			Chevron	Hexagon	Square	Mosaic 1	Mosaic 2	KitKat	Custom
Tile size			141mm x 408mm	112mm x 130mm	106mm x 106mm	35mm x 35mm	53mm x 53mm	22mm x 147mm	Custom
Jointing methods - half-lap			✔	✔	✔	✔	✔	✔	✔
Jointing methods - Interlock				✔					✔
Vertical			✔	✔	✔	✔	✔	✔	✔
Horizontal			✔	✔				✔	✔
Range	**Colour name**	**Code**							
Altro Whiterock Satins	Ice	44	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock Satins	Linen	41	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock Satins	Mint	203	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock Satins	Orchard	223	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock Satins	Oyster	32	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock Satins	Ozone	211	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock Satins	Promenade	212	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock Satins	Seafoam	43	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock Satins	Serenity	227	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock Satins	Silk	229	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock Satins	Spa	232	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock Satins	Twilight	226	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock Satins	Urban	210	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock Satins	Vibrance	213	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom


Altro Tegulis Deluxe and Custom range

Specification details


Tile design			Chevron	Hexagon	Square	Mosaic 1	Mosaic 2	KitKat	Custom
Tile size			141mm x 408mm	112mm x 130mm	106mm x 106mm	35mm x 35mm	53mm x 53mm	22mm x 147mm	Custom
Jointing methods - half-lap			✔	✔	✔	✔	✔	✔	✔
Jointing methods - Interlock				✔					✔
Vertical			✔	✔	✔	✔	✔	✔	✔
Horizontal			✔	✔				✔	✔
Range	**Colour name**	**Code**							
Altro Whiterock wall designs	Autumn Weave	9910	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock wall designs	Cool Mineral	9906	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock wall designs	Cool Woodgrain	9914	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock wall designs	Rich Woodgrain	9902	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock wall designs	Soft Elegance	9918	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock wall designs	Soft Woodgrain	9901	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock wall designs	Urban Mineral	9907	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock wall designs	Warm Concrete	9916	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock wall designs	Warm Elegance	9917	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock wall designs	Warm Woodgrain	9904	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock wall designs	White Elegance	9919	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock wall designs	White Mineral	9905	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock wall designs	White Woodgrain	9915	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom
Altro Whiterock wall designs	Winter Weave	9909	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Custom

Altro Tegulis Essence range


Tile design technical specification sheet




Herringbone tile (62 x 197mm)
Vertical format sheet (half-lap jointing)



Herringbone tile (62 x 197mm)
Horizontal format sheet (half-lap jointing)



Herringbone tile (62 x 197mm)
Vertical format sheet (interlocking jointing)



Herringbone tile (62 x 197mm)
Horizontal format sheet (interlocking jointing)


Product weight is between 3300g/m² and 3600g/m² depending on the tile design.

Essence range	Sheet size*		Tile size						
Altro Tegulis - Herringbone tile (62 x 197mm)	Height (mm)	Width (mm)	Height (mm)	Width (mm)	Jointing availability	Sheet thickness (mm)	Inter-tile gap width (mm)	Type of product	Max service temperature
Herringbone tile vertical orientation with half-lap joint*	2,395	1,136	62	197	Half-lap - (for wet areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C
Herringbone tile horizontal orientation with half-lap joint*	1,108	2,267	62	197	Half-lap - (for wet areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C
Herringbone tile vertical orientation with interlocking joint	2,390	1,175	62	197	Interlock - (for dry areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C
Herringbone tile horizontal orientation with interlocking joint	1,103	2,306	62	197	Interlock - (for dry areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C


*Dimensions shown for the half-lap sheet include 5mm on the height and width of each sheet for the half-lap joint.

Altro Tegulis Essence range


Tile design technical specification sheet




Stacked Metro tile (76 x 292mm)
Vertical format sheet (half-lap jointing)



Stacked Metro tile (76 x 292mm)
Horizontal format sheet (half-lap jointing)



Stacked Metro tile (222 x 389mm)
Vertical format sheet (half-lap jointing)



Stacked Metro tile (222 x 389mm)
Horizontal format sheet (half-lap jointing)


Product weight is between 3300g/m² and 3600g/m² depending on the tile design.

Essence range	Sheet size*		Tile size						
Altro Tegulis - Stacked Metro tile	Height (mm)	Width (mm)	Height (mm)	Width (mm)	Jointing availability	Sheet thickness (mm)	Inter-tile gap width (mm)	Type of product	Max service temperature
Stacked Metro tile (76mm x 292mm) vertical orientation with half-lap joint*	2,443	1,171	76	292	Half-lap - (for wet areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C
Stacked Metro tile (76mm x 292mm) horizontal orientation with half-lap joint*	1,072	2,337	76	292	Half-lap - (for wet areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C
Stacked Metro tile (222mm x 389mm) vertical orientation with half-lap joint*	2,449	1,171	222	389	Half-lap - (for wet areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C
Stacked Metro tile (222mm x 389mm) horizontal orientation with half-lap joint*	1,117	2,338	222	389	Half-lap - (for wet areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C


*Dimensions shown for the half-lap sheet include 5mm on the height and width of each sheet for the half-lap joint.

Altro Tegulis Essence range

Tile design technical specification sheet



Stacked Metro tile (292 x 592mm)
Vertical format sheet (half-lap jointing)



Stacked Metro tile (292 x 592mm)
Horizontal format sheet (half-lap jointing)


Product weight is between 3300g/m² and 3600g/m² depending on the tile design.

Essence range	Sheet size*		Tile size						
Altro Tegulis - Stacked Metro tile	Height (mm)	Width (mm)	Height (mm)	Width (mm)	Jointing availability	Sheet thickness (mm)	Inter-tile gap width (mm)	Type of product	Max service temperature
Stacked Metro tile (292mm x 592mm) vertical orientation with half-lap joint*	2,365	1,195	292	592	Half-lap - (for wet areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C
Stacked Metro tile (292mm x 592mm) horizontal orientation with half-lap joint*	1,183	2,383	292	592	Half-lap - (for wet areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C


*Dimensions shown for the half-lap sheet include 5mm on the height and width of each sheet for the half-lap joint.

Altro Tegulis Essence range


Tile design technical specification sheet




Metro tile (76 x 292mm)
Vertical format sheet (half-lap jointing)



Metro tile (76 x 292mm)
Horizontal format sheet (half-lap jointing)



Metro tile (76 x 292mm)
Vertical format sheet (interlocking jointing)



Metro tile (76 x 292mm)
Horizontal format sheet (interlocking jointing)


Product weight is between 3300g/m² and 3600g/m² depending on the tile design.

Essence range	Sheet size*		Tile size						
Altro Tegulis - Metro tile (76 x 292mm)	Height (mm)	Width (mm)	Height (mm)	Width (mm)	Jointing availability	Sheet thickness (mm)	Inter-tile gap width (mm)	Type of product	Max service temperature
Metro tile vertical orientation with half-lap joint*	2,443	1,171	76	292	Half-lap - (for wet areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C
Metro tile horizontal orientation with half-lap joint*	1,072	2,337	76	292	Half-lap - (for wet areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C
Metro tile vertical orientation with interlocking joint	2,438	1,020	76	292	Interlock - (for dry areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C
Metro tile horizontal orientation with interlocking joint	1,066	2,186	76	292	Interlock - (for dry areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C


*Dimensions shown for the half-lap sheet include 5mm on the height and width of each sheet for the half-lap joint.

Altro Tegulis Essence range


Tile design technical specification sheet




Metro tile (76 x 146mm)
Vertical format sheet (half-lap jointing)



Metro tile (76 x 146mm)
Horizontal format sheet (half-lap jointing)



Metro tile (76 x 146mm)
Vertical format sheet (interlocking jointing)



Metro tile (76 x 146mm)
Horizontal format sheet (interlocking jointing)


Product weight is between 3300g/m² and 3600g/m² depending on the tile design.

Essence range	Sheet size*		Tile size						
Altro Tegulis - Metro tile (76 x 146mm)	Height (mm)	Width (mm)	Height (mm)	Width (mm)	Jointing availability	Sheet thickness (mm)	Inter-tile gap width (mm)	Type of product	Max service temperature
Metro tile vertical orientation with half-lap joint*	2,443	1,171	76	146	Half-lap - (for wet areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C
Metro tile horizontal orientation with half-lap joint*	1,072	2,337	76	146	Half-lap - (for wet areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C
Metro tile vertical orientation with interlocking joint	2,438	1,093	76	146	Interlock - (for dry areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C
Metro tile horizontal orientation with interlocking joint	1,067	2,259	76	146	Interlock - (for dry areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C


*Dimensions shown for the half-lap sheet include 5mm on the height and width of each sheet for the half-lap joint.

Altro Tegulis Essence range


Tile design technical specification sheet




Metro tile (102 x 233mm)
Vertical format sheet (half-lap jointing)



Metro tile (102 x 233mm)
Horizontal format sheet (half-lap jointing)



Metro tile (102 x 233mm)
Vertical format sheet (interlocking jointing)



Metro tile (102 x 233mm)
Horizontal format sheet (interlocking jointing)


Product weight is between 3300g/m² and 3600g/m² depending on the tile design.

Essence range	Sheet size*		Tile size						
Altro Tegulis - Metro tile (102 x 233mm)	Height (mm)	Width (mm)	Height (mm)	Width (mm)	Jointing availability	Sheet thickness (mm)	Inter-tile gap width (mm)	Type of product	Max service temperature
Metro tile vertical orientation with half-lap joint*	2,443	1,171	102	233	Half-lap - (for wet areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C
Metro tile horizontal orientation with half-lap joint*	1,021	2,337	102	233	Half-lap - (for wet areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C
Metro tile vertical orientation with interlocking joint	2,438	1,049	102	233	Interlock - (for dry areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C
Metro tile horizontal orientation with interlocking joint	1,016	2,215	102	233	Interlock - (for dry areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C


*Dimensions shown for the half-lap sheet include 5mm on the height and width of each sheet for the half-lap joint.

Altro Tegulis Deluxe range


Tile design technical specification sheet




Hexagon tile (112 x 130mm)
Vertical format sheet (half-lap jointing)



Hexagon tile (112 x 130mm)
Horizontal format sheet (half-lap jointing)



Hexagon tile (112 x 130mm)
Vertical format sheet (interlocking jointing)



Hexagon tile (112 x 130mm)
Horizontal format sheet (interlocking jointing)


Product weight is between 3300g/m² and 3600g/m² depending on the tile design.

Deluxe range	Sheet size*		Tile size						
Altro Tegulis - Hexagon tile (112 x 130mm)	Height (mm)	Width (mm)	Height (mm)	Width (mm)	Jointing availability	Sheet thickness (mm)	Inter-tile gap width (mm)	Type of product	Max service temperature
Hexagon tile vertical orientation with half-lap joint*	2,361	1,171	112	130	Half-lap - (for wet areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C
Hexagon tile horizontal orientation with half-lap joint*	1,127	2,337	112	130	Half-lap - (for wet areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C
Hexagon tile vertical orientation with interlocking joint	2,356	1,003	112	130	Interlock - (for dry areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C
Hexagon tile horizontal orientation with interlocking joint	1,122	2,364	112	130	Interlock - (for dry areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C


*Dimensions shown for the half-lap sheet include 5mm on the height and width of each sheet for the half-lap joint.

Altro Tegulis Deluxe range


Tile design technical specification sheet




Chevron tile (141 x 408mm)
Vertical format sheet (half-lap jointing)



Chevron tile (141 x 408mm)
Horizontal format sheet (half-lap jointing)



KitKat tile (147 x 22mm)
Vertical format sheet (half-lap jointing)



KitKat tile (147 x 22mm)
Horizontal format sheet (half-lap jointing)


Product weight is between 3300g/m² and 3600g/m² depending on the tile design.

Deluxe range	Sheet size*		Tile size						
Altro Tegulis - Chevron and KitKat tiles	Height (mm)	Width (mm)	Height (mm)	Width (mm)	Jointing availability	Sheet thickness (mm)	Inter-tile gap width (mm)	Type of product	Max service temperature
Chevron tile vertical orientation with half-lap joint*	2,341	1,174	141	408	Half-lap - (for wet areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C
Chevron tile horizontal orientation with half-lap joint*	1,173	2,342	141	408	Half-lap - (for wet areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C
KitKat tile vertical orientation with half-lap joint*	2,406	1,131	147	22	Half-lap - (for wet areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C
KitKat tile horizontal orientation with half-lap joint*	1,055	2,405	147	22	Half-lap - (for wet areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C


*Dimensions shown for the half-lap sheet include 5mm on the height and width of each sheet for the half-lap joint.

Altro Tegulis Deluxe range


Tile design technical specification sheet



Mosaic tile (35 x 35mm)
Vertical format sheet (half-lap jointing)



Mosaic tile (53 x 53 mm)
Vertical format sheet (half-lap jointing)



Square tile (106 x 106mm)
Vertical format sheet (half-lap jointing)

Product weight is between 3300g/m² and 3600g/m² depending on the tile design.

Deluxe range	Sheet size*		Tile size						
Altro Tegulis - Square and Mosaic tiles	Height (mm)	Width (mm)	Height (mm)	Width (mm)	Jointing availability	Sheet thickness (mm)	Inter tile gap width (mm)	Type of product	Max service temperature
Mosaic tile (35 x 35mm) vertical orientation with half-lap joint*	2,443	1,171	35	35	Half-lap - (for wet areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C
Mosaic tile (53 x 53mm) vertical orientation with half-lap joint*	2,443	1,171	53	53	Half-lap - (for wet areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C
Square tile (106 x 106mm) vertical orientation with half-lap joint*	2,443	1,171	106	106	Half-lap - (for wet areas)	2.5	4 (approx)	Extruded semi-rigid PVCu sheet	60°C

***Dimensions shown for the half-lap sheet include 5mm on the height and width of each sheet for the half-lap joint.**